


Moonlight installed on a solid surface




Moonlight with Surface Base [MAG]

Floor or wall lamp for a fixed and permanent installation to the ground

This Moonlight is firmly screwed to the surface or the wall. It can be used both inside and outside and immerses its surroundings in the characteristic soft Moonlight light.

Luminaires with a screw-on base are supplied without a cable, which can be permanently laid, installed safely and permanently on site by your electrician.

Highlights & product variants



Size 25 cm, white
Art-No MAG-2500
EAN Code 4055058020209

Size 35 cm, white
Art-No MAG-3500
EAN Code 4055058030208

Size 55 cm, white
Art-No MAG-5500
EAN Code 4055058050206

Size 75 cm, white
Art-No MAG-7500
EAN Code 4055058070204

Opt. Colors granite light, granite dark, sandstone

Cable not included

Cable Length opt. 5 m, 10 m, 20 m

Socket E26/E27


Nominal Voltage 110 V/230 V

Protection IP 66

Protection Class II



Half Moonlight installed on a solid surface




Hemisphere Globe Surface Base [HMAG]

Hemispherical globe for a fixed and permanent installation to the ground

This Moonlight lamp is firmly screwed to the surface or the wall. It can be used both inside and outside and immerses its surroundings in the characteristic soft Moonlight light.

Luminaires with a screw-on base are supplied without a cable, which can be permanently installed by your local electrician.

Highlights & Product Variants



Size 35 cm, white
Art-No HMAG-3500
EAN Code 4055058040207

Size 55 cm, white
Art-No HMAG-5500
EAN Code 4055058060205

Size 75 cm, white
Art-No HMAG-7500
EAN Code 4055058080203

Opt. Colors granite light, granite dark, sandstone

Cable not included
Cable Length opt. 5 m, 10 m, 20 m

Socket E26/E27

Nominal Voltage 110 V/230 V

Protection IP 66

Protection Class II



 **MADE IN GERMANY**

**Moonlight**
TECHNOLOGY

Technical Data

Model	Shape	Base	Dimensions		Colors
			Globe-Ø mm	Base-Ø mm	
MFL-2500	Full Globe	Portable Base	250	149	White, light granite, dark granite, sandstone, other colors on request, e.g. neverdark
MFL-3500	Full Globe	Portable Base	350	210	
MFL-5500	Full Globe	Portable Base	550	318	
MFL-7500	Full Globe	Portable Base	750	438	
HMFL-3500	Hemisphere Globe	Portable Base	350	250	
HMFL-5500	Hemisphere Globe	Portable Base	550	317	
HMFL-7500	Hemisphere Globe	Portable Base	750	438	
MAG-2500	Full Globe	Surface Base	250	149	
MAG-3500	Full Globe	Surface Base	350	210	
MAG-5500	Full Globe	Surface Base	550	318	
MAG-7500	Full Globe	Surface Base	750	438	
HMAG-3500	Hemisphere Globe	Surface Base	350	250	
HMAG-5500	Hemisphere Globe	Surface Base	550	317	
HMAG-7500	Hemisphere Globe	Surface Base	750	438	
MBG-2500	Full Globe	Sub-Surface Base	250	149 (o)/215(u)	
MBG-3500	Full Globe	Sub-Surface Base	350	210 (o)/300(u)	
MBG-5500	Full Globe	Sub-Surface Base	550	318(o)/466(u)	
MBG-7500	Full Globe	Sub-Surface Base	750	438(o)/636(u)	
HMBG-3500	Hemisphere Globe	Sub-Surface Base	350	250(o)/340(u)	
HMBG-5500	Hemisphere Globe	Sub-Surface Base	550	317(o)/466(u)	
HMBG-7500	Hemisphere Globe	Sub-Surface Base	750	438(o)/636(u)	
MWL-2500	Full Globe	Floating Base	250	110	
MWL-3500	Full Globe	Floating Base	350	110	
MWL-5500	Full Globe	Floating Base	550	210	
MWL-7500	Full Globe	Floating Base	750	210	
MPL/F-3500	Full Globe	Pendant Base	350	n.a.	
MPL/F-5500	Full Globe	Pendant Base	550	n.a.	
MPL/F-7500	Full Globe	Pendant Base	750	n.a.	

Contact

Moonlight Headquarter

Moonlight Technology AG
Lettenbündte 10
Germany – 79739 Schwörstadt

email@moonlight-technology.de
Phone: +49 (0) 77 62 – 709-0

Moonlight USA

Moonlight USA, Inc
4814 Cape Coral Street
USA – Cape Coral, FL 33904

info@moonlight-inc.com
Phone: +1 239-541-8670



Features							
Socket	Voltage	Protection	Protection Class	Recommended lightsource output lm	UV Protection	Cable Length m	
E26/E26/E27	110 V/230 V	IP 66	II	300	10 Years	2, 5, 10	
E26/E26/E27	110 V/230 V	IP 66	II	500	10 Years	2, 5, 10	
E26/E26/E27	110 V/230 V	IP 66	II	800	10 Years	2, 5, 10	
E26/E26/E27	110 V/230 V	IP 66	II	1200	10 Years	2, 5, 10	
E26/E26/E27	110 V/230 V	IP 66	II	500	10 Years	2, 5, 10	
E26/E26/E27	110 V/230 V	IP 66	II	800	10 Years	2, 5, 10	
E26/E26/E27	110 V/230 V	IP 66	II	1200	10 Years	2, 5, 10	
E26/E26/E27	110 V/230 V	IP 66	II	300	10 Years	0	
E26/E26/E27	110 V/230 V	IP 66	II	500	10 Years	0	
E26/E26/E27	110 V/230 V	IP 66	II	800	10 Years	0	
E26/E26/E27	110 V/230 V	IP 66	II	1200	10 Years	0	
E26/E26/E27	110 V/230 V	IP 66	II	500	10 Years	0	
E26/E26/E27	110 V/230 V	IP 66	II	800	10 Years	0	
E26/E26/E27	110 V/230 V	IP 66	II	1200	10 Years	0	
E26/E26/E27	110 V/230 V	IP 66	II	300	10 Years	0	
E26/E26/E27	110 V/230 V	IP 66	II	500	10 Years	0	
E26/E26/E27	110 V/230 V	IP 66	II	800	10 Years	0	
E26/E26/E27	110 V/230 V	IP 66	II	1200	10 Years	0	
E26/E26/E27	110 V/230 V	IP 66	II	500	10 Years	0	
E26/E26/E27	110 V/230 V	IP 66	II	800	10 Years	0	
E26/E26/E27	110 V/230 V	IP 66	II	1200	10 Years	0	
E26/E26/E27	12 V DC	IP 68	II	300	10 Years	10, 20	
E26/E26/E27	12 V DC	IP 68	II	500	10 Years	10, 20	
E26/E26/E27	12 V DC	IP 68	II	800	10 Years	10, 20	
E26/E26/E27	12 V DC	IP 68	II	1200	10 Years	10, 20	
E26/E26/E27	110 V/230 V	IP 54	II	500	10 Years	3, 5, 10	
E26/E26/E27	110 V/230 V	IP 54	II	800	10 Years	3, 5, 10	
E26/E26/E27	110 V/230 V	IP 54	II	1200	10 Years	3, 5, 10	

Moonlight Korea

Bon Hyun Koo
#708, 111, Seongsuil-ro, Seongdong-gu,
Seoul, Republic of Korea

bhkoo@moonlight.info
Phone: +82 2 3407 5477
Mobile: +82 10 7103 0597

Moonlight Serbia

DieMMe d.o.o.
Bulevar Kralja Aleksandra 104,
11000 Beograd, Srbija

m.roncevic@diemme.co.rs
Phone: +381-63-8379950

